




PWB-1

PLASTERBOARD MOUNT KIT PWB-1

PRODUCT CODE 51436

SPECIFICATIONS

Suitable For	VES-75K Video Entrance Station Intercom
Dimensions (WxHxD)	170 mm x 351 mm x 30 mm (6.7 in x 13.8 in x 1.2 in)
Weight	0.11 kg (0.24 lb)
Material	Zinc plated steel
Environment	Indoor use
Intercom Fixings	Press/friction fit
Cable Entry	Open to the exposed rear of the intercom



PWB-2

PLASTERBOARD MOUNT KIT PWB-2

PRODUCT CODE 51470

SPECIFICATIONS

Suitable For	VES-74x and VSL-x4x series
Dimensions (WxHxD)	110 mm x 270 mm x 30 mm (4.3 in x 10.6 in x 1.2 in)
Weight	0.15 kg (0.33 lb)
Material	Zincanneal steel
Environment	Indoor and outdoor
Intercom Fixings	Press/friction fit
Cable Entry	Open to the exposed rear of the intercom




PWB-3

PLASTERBOARD MOUNT KIT PWB-3

PRODUCT CODE 51782

SPECIFICATIONS

Suitable For	VSA-76K Clean Room Intercom
Dimensions (WxHxD)	135 mm x 338 mm x 30 mm (5.3 in x 13.3 in x 1.2 in)
Weight	0.3 kg (0.66 lb)
Material	Zinc plated steel
Environment	Indoor use
Intercom Fixings	Press/friction fit
Cable Entry	Open to the exposed rear of the intercom



PWB-4

PLASTERBOARD MOUNT KIT PWB-4

PRODUCT CODE 51812

SPECIFICATIONS

Suitable For	VSL-x6x series intercom
Dimensions (WxHxD)	120 mm x 175 mm x 30 mm (4.7 in x 6.8 in x 1.2 in)
Weight	0.09 kg (0.19 lb)
Material	Zinc plated steel
Environment	Indoor use
Intercom Fixings	Press/friction fit
Cable Entry	Open to the exposed rear of the intercom



FWE-1

FLUSH MOUNT BACKBOX FWE-1

PRODUCT CODE 60701

SPECIFICATIONS

Suitable For	VSL/VDL/VMI/VES-x4x series
Dimensions (WxHxD)	110 mm x 270 mm x 80 mm (4.33 in x 10.6 in x 3.14 in)
Weight	1 kg (2.2 lb)
Material	Zincanneal steel
Finishes	Zinc plated and passivated
Environment	Indoor use only
Intercom Mounting Holes	10 x M4 threaded holes
Intercom Fixings	10 x M4 security torx screws (included with purchase of backbox)
Cable Entry	2 holes x 25 mm (1 in) diameter centred top and bottom



FWE-14

FLUSH MOUNT BACKBOX FWE-14

PRODUCT CODE 51274

SPECIFICATIONS

Suitable For	VSL-x5x series
Dimensions (WxHxD)	98 mm x 142 mm x 57 mm (4 in x 5.5 in x 2.2 in)
Weight	0.5 kg (1.1 lb)
Material	Zincanneal steel
Finishes	Zinc plated and passivated
Environment	Indoor use only
Intercom Mounting Holes	4 x M4 threaded hole
Intercom Fixings	4 x M4 security torx screws (included with purchase of backbox)
Cable Entry	5 holes x 28 mm (1.1 in) diameter centred top, bottom, right, left and rear



FWE-15

FLUSH MOUNT BACKBOX FWE-15

PRODUCT CODE 51425

SPECIFICATIONS

Suitable For	VES-75K intercom series
Dimensions (WxHxD)	136 mm x 338.4 mm x 60 mm (5.35 in x 13.32 in x 2.36 in)
Weight	0.85 kg (1.87 lb)
Material	Zincanneal steel
Finishes	Zinc plated
Environment	Indoor use only
Intercom Mounting Holes	12 x M4 threaded hole
Intercom Fixings	12 x M4 security torx screws (included with purchase of backbox)
Cable Entry	10 holes x 22 mm (0.9 in) diameter



FWE-17

FLUSH MOUNT BACKBOX FWE-17

PRODUCT CODE 51781

SPECIFICATIONS

Suitable For	VSA-76K Clean Room Intercom
Dimensions (WxHxD)	127 mm x 329 mm x 65 mm (5 in x 13 in x 2.5 in)
Weight	1.54 kg (3.3 lb)
Material	Zinc plated steel
Environment	Indoor use
Intercom Mounting Holes	2 each top, bottom and side edges + 6 rear for fixings as appropriate to wall stud work or masonry
Intercom Fixings	6x rare earth cup magnets
Cable Entry	By press out blanks, 1 each top and bottom + 3 rear



SWE-1

SURFACE MOUNT BACKBOX SWE-1

PRODUCT CODE 60709

SPECIFICATIONS

Suitable For	VDL/VES/VMI/VSL-x4x series
Dimensions (WxHxD)	130 mm x 290 mm x 80 mm (5.11 in x 11.41 in x 3.14 in)
Weight	1.3 kg (2.8 lb)
Material	Zincanneal steel
Finishes	Powder coated, APO ripple grey
Environment	Indoor and outdoor
Intercom Mounting Holes	6 x M4 threaded hole
Intercom Fixings	6 x M4 security torx screws (included with purchase of backbox)
Cable Entry	Drill or cut upon installation



SWE-4SS

SURFACE MOUNT BACKBOX SWE-4SS

PRODUCT CODE 60714

SPECIFICATIONS

Suitable For	VSL-x5x series
Dimensions (WxHxD)	125 mm x 180 mm x 60 mm (5 in x 7 in x 2.3 in)
Weight	0.9 kg (2 lb)
Material	316 stainless steel
Finishes	Linish
Environment	Indoor and outdoor
Intercom Mounting Holes	4 x M4 threaded hole
Intercom Fixings	4 x M4 security torx screws (included with purchase of backbox)
Cable Entry	1 hole x 25 mm (1 in) diameter centre of rear



SWE-6

SURFACE MOUNT BACKBOX SWE-6

PRODUCT CODE 60712

SPECIFICATIONS

Suitable For	VSL-x5x series
Dimensions (WxHxD)	125 mm x 180 mm x 60 mm (5 in x 7 in x 2.3 in)
Weight	0.9 kg (2lb)
Material	Zincanneal steel
Finishes	Powder coated, APO ripple grey
Environment	Indoor and outdoor
Intercom Mounting Holes	4 x M4 threaded hole
Intercom Fixings	4 x M4 security torx screws (included with purchase of backbox)
Cable Entry	1 hole x 25 mm (1 in) diameter centre of rear



SWE-9SS

SURFACE MOUNT BACKBOX SWE-9SS

PRODUCT CODE 60708

SPECIFICATIONS

Suitable For	VDL/VES /VMI/VSL-x4x series
Dimensions (WxHxD)	130 mm x 290 mm x 79 mm (5.11 in x 11.41 in x 3.11 in)
Weight	1.2 kg (0.44 lb)
Material	316 stainless steel
Finishes	Linish
Environment	Indoor and outdoor
Intercom Mounting Holes	10 x M4 threaded hole
Intercom Fixings	10 x M4 security torx screws (included with purchase of backbox)
Cable Entry	3 holes x 25 mm (1 in) diameter centred top, centre and bottom of rear



SWE-12

SURFACE MOUNT BACKBOX SWE-12

PRODUCT CODE 51445

SPECIFICATIONS

Suitable For	VES-75K
Dimensions (WxHxD)	170 mm x 372 mm x 50 mm (7 in x 15 in x 2 in)
Weight	1.4 kg (3 lb)
Material	Zincanneal steel
Finishes	Powder coated, matte, dark grey
Environment	Indoor and outdoor
Intercom Mounting Holes	6 x M3 threaded holes
Intercom Fixings	6 x M3 CSK stainless steel hex (included with purchase of backbox)
Cable Entry	Drill or cut at installation



SURFACE MOUNT BACKBOX SWE-15SS

PRODUCT CODE 60720

SPECIFICATIONS

Suitable For	VSL-x6x series
Dimensions (WxHxD)	125 mm x 180 mm x 60 mm (5 in x 7 in x 2.3 in)
Weight	0.8 kg (2 lb)
Material	316 stainless steel
Finishes	Linish
Environment	Indoor and outdoor
Intercom Mounting Holes	6 x M4 threaded hole
Intercom Fixings	6 x M4 security torx screws (included with purchase of backbox)
Cable Entry	3 holes x 25 mm (1 in) diameter centred top, centre and bottom of rear



SURFACE MOUNT BACKBOX ANTI LIGATURE SWE-17/C1

PRODUCT CODE 60721

SPECIFICATIONS

Suitable For	VSL-x5x series
Dimensions (WxHxD)	263.3 mm x 129.5 mm x 66 mm (10.3 in x 5 in x 2.5 in)
Weight	0.6 kg (1.3 lb)
Material	316 stainless steel
Finishes	Linish
Environment	Indoor and outdoor
Intercom Mounting Holes	4 x M4 threaded hole
Intercom Fixings	4 x M4 security torx screws (included with purchase of backbox)
Cable Entry	1 x 100 mm x 64 mm (4 in x 2.5 in) rectangular rear cut out



SWE-13



SWE-14

SURFACE MOUNT BACKBOX SWE-13/SWE-14

PRODUCT CODE 60716, 60717

SPECIFICATIONS

Suitable For	VMS-750 (SWE-13) VMS-750 with JHS-1 (SWE-14)
Dimensions (WxHxD)	274 mm x 165 mm x 35 mm (11 in x 6.4 in x 1.3 in) excluding VMS-750 mounting tabs (SWE-13) 334 mm x 165 mm x 35 mm (13.1 in x 6.4 in x 1.3 in) (excluding VMS-750 mounting tabs) (SWE-14)
Weight	0.6 kg (1.3 lb) SWE-13 0.7 kg (1.5 lb) SWE-14
Material	Zincanneal steel
Finishes	Powder coated, matte, dark grey
Environment	Indoor use only
Intercom Mounting Holes	1 x M3 threaded hole
Intercom Fixings	1 x M3 CSK black machine screw (included with purchase of backbox)
Cable Entry	214 mm x 115 mm cut out (8.4 in x 4.5 in) SWE-13 273 mm x 115 mm cut out (10.7 in x 4.5 in) SWE-14

DESK MOUNT KIT DMS-1/DMS-2

PRODUCT CODE 51400, 51461

SPECIFICATIONS

Suitable For	VMS-750 (DMS-1) VMS-750 with JHS-1 (DMS-2)
Dimensions (WxHxD)	267 mm x 156 mm x 88 mm (10.5 in x 6.14 in x 3.46 in) DMS-1 327 mm x 156 mm x 88 mm (13 in x 6.14 in x 3.46 in) DMS-2
Weight	0.4 kg (0.88 lb) DMS-1 0.5 kg (1.1 lb) DMS-2
Material	Electro gal
Finishes	Powder coated satin black
Environment	Indoor use only
Intercom Mounting Holes	1 x M3 threaded hole
Intercom Fixings	1 x M3 CSK black machine screw (included with purchase of kit)
Cable Entry	100 mm x 88 mm (4 in x 3.46 in) cut out



DMS-1



DMS-2



SRH-1

RAINHOOD SRH-1

PRODUCT CODE 50213

SPECIFICATIONS

Suitable For	VSL-x5xW+ series
Dimensions (WxHxD)	156 mm x 201 mm x 135 mm (6.1 in x 8 in x 5.3 in)
Weight	1.3 kg (2.8 lb)
Material	316 stainless steel
Finishes	Linish
Environment	Outdoor
Intercom Mounting Holes	4 x M4 threaded hole
Intercom Fixings	4 x M4 security torx screws (included with purchase of backbox)



SRH-2

RAINHOOD SRH-2

PRODUCT CODE 51190

SPECIFICATIONS

Suitable For	VES-741/VSL-x4xW+ series
Dimensions (WxHxD)	138 mm x 296 mm x 135 mm (5.4 in x 11.6 in x 5.3 in)
Weight	1.7 kg (4 lb)
Material	316 stainless steel
Finishes	Linish
Environment	Outdoor
Intercom Mounting Holes	6 x M4 threaded hole
Intercom Fixings	6 x M4 security torx screws (included with purchase of backbox)



SRH-4

RAINHOOD SRH-4

PRODUCT CODE 51053

SPECIFICATIONS

Suitable For	VSL-37xW+ series
Dimensions (WxHxD)	82 mm x 264.5 mm x 90 mm (3.2 in x 10.4 in x 3.5 in)
Weight	0.9 kg (2 lb)
Material	316 stainless steel
Finishes	Linish
Environment	Outdoor
Intercom Mounting Holes	4 x M4 threaded hole
Intercom Fixings	4 x M4 security torx screws (included with purchase of backbox)