




# DESK MOUNT STAND FOR USE WITH MONITOR STATION P/N: 51400



FIXINGS

4 BUMPON FEET







SUGGESTED POSITIONS SHOWING

FITTING OF BUMPON FEET.

# DESK MOUNT STAND FOR USE WITH MONITOR STATION WITH HANDSET P/N: 51461




FRONT VIEW




FIXINGS

2 PAN POZI SCREWS 10 mm FOR PLASTIC

4 BUMPON FEET





FITTING OF BUMPON FEET.

REV	DATE	CHANGE DESCRIPTION	BY	<b>3</b> I
0	2011-01-28	FIRST RELEASE	LFB	
1	2012-07-24	SHEET 5 ADDED SHOWING SURFACE MOUNTING DETAILS.	LFB	Fut
2	2016-05-06	'ATTACHING HANDSET TO VMS-750' HEADING REMOVED FROM SHEET 2. UPDATED DWG FRAME.	LFB	\/\/C
				VIVIS
				MOI


(C) Copyright Jacques Technologies Pty Ltd. All rights reserved. 268 Montague Rd., West End, 4101, Australia Ph: +61 7 3846 8400 Fax: +61 7 3844 1078 www.jacques.com.au info@jacques.com.au

VMS-750x-INS

**IS-750x VIDEO INTERCOM** DNITOR STN - GENERAL ASSEMBLY 2011-01-28 VMS-750x-INS.dwg CHECKED: DATE: 2 of 5 A1 DATE:


APPROVED:

© 2016 Jacques Technologies PTY LTD



# DO NOT SCALE MONITOR STATION DESKTOP STAND IF IN DOUBT - ASK! M3x8 mm CSK SCREW M3x8 mm CSK SCREW - MONITOR STATION - DESKTOP STAND (SOLD SEPARATELY) FRONT VIEW SIDE VIEW REFER TO SHT. 2 FOR POSITIONS IN STAND OF FOR FIXED DESKTOP MOUNTING:-M3X8 mm CSK BLACK MACHINE SCREW, BUMPON FEET AND DESKTOP MOUNTING HOLES. PRIOR TO ATTACHING THE STAND TO MONITOR STATION, USE POSITION THE MONITOR STATION INTO THE STAND, FIRST ENGAGING THE BOTTOM TABS, THEN FOLDING BACK TO ENGAGE THE TOP SCREW TAB. FIT M3x8 SCREW TO FIX IT IN PLACE.

# MONITOR STATION WITH HANDSET DESKTOP STAND



© 2016 Jacques Technologies PTY LTD

FOR FIXED DESKTOP MOUNTING:-

FIRMLY INTO PLACE.

LEAVE BUMPON FEET UNATTACHED.

PRIOR TO ATTACHING THE STAND TO MONITOR STATION, USE THE STAND KEYHOLES


TO MARK DESK SCREW POSITIONS. USE SCREWS SUITABLE FOR THE KEYHOLE SIZE.

PRE-ADJUST THE DESK SCREWS SUCH THAT THE BRACKET KEYHOLES CAN SLIDE


THE STAND MUST BE FIXED TO THE MONITOR STATION AND CRADLE BEFORE DESK MOUNTING.

(HS CRADLE)

# MONITOR STATION WITH OR WITHOUT HANDSET WALL MOUNTING DETAILS



## MOUNTING POSITIONS AND CUTOUT IN WALL



### **INSTALLATION INSTRUCTIONS:**

- 1. CUT RECTANGULAR HOLE IN THE WALL 230 mm WIDE AND 120 mm TALL.
- 2. MARK FOUR MOUNTING POSITIONS ON WALL PANEL USING WALL MOUNTING FRAME AS TEMPLATE.  $\widehat{f A}$
- 3. SCREW FOUR RAMSET WALLMATES (WM6T) (NOT SUPPLIED) INTO MARKED POSITIONS.  $oldsymbol{\mathsf{B}}$
- 4. SECURE WALL MOUNTING PLATE IN WALL PANEL USING FOUR 8G X 20 mm CSK ZINC SELF TAPPING SCREWS.  $oldsymbol{\mathbb{C}}$
- 5. SLIDE THE MONITOR STATION DOWN AT A SHALLOW ANGLE TO ENGAGE THE BOTTOM BRACKET TABS. FOLD BACKBOX TO D
  VERTICAL AND SECURE WITH M3x8 CSK SCREW.


CHANGE DESCRIPTION | 2011-01-28 | FIRST RELEASE 2012-07-24 SHEET 5 ADDED SHOWING SURFACE MOUNTING DETAILS. 2016-05-06 | 'ATTACHING HANDSET TO VMS-750' HEADING REMOVED FROM SHEET 2. UPDATED DWG FRAME. (C) Copyright Jacques Technologies Pty Ltd. All rights reserved. 268 Montague Rd., West End, 4101, Australia Ph: +61 7 3846 8400 Fax: +61 7 3844 1078

# VMS-750x VIDEO INTERCOM **MONITOR STN - GENERAL ASSEMBLY**


ADAPTED FROM: | FILENAME: VMS-750x-INS.dwg 2011-01-28 CHECKED: DATE: SCALE: 4 of 5 A1 N.T.S. APPROVED: DATE: VMS-750x-INS

### SURFACE MOUNTING DETAILS


### SWE-13 (FOR MONITOR STATION WITHOUT HANDSET)




# MONITOR STATION SIDE VIEW



### SWE-14 (FOR MONITOR STATION WITH HANDSET)





### **INSTALLATION INSTRUCTIONS:**

- 1. THE REAR OF THE BACKBOX HAS A LARGE OPENING, THUS ALLOWING FOR CABLE ENTRY FROM THE WALL. IF CABLE ENTRY FROM THE SIDE, TOP OR BOTTOM IS REQUIRED, A HOLE MAY BE MADE USING A METAL CUTTING HOLE SAW, FOR A CONDUIT CONNECTION.
- 2. WHEN CHOOSING A CABLE ENTRY POSITION, CONSIDER THE MINIMUM BENDING RADIUS FOR THE CABLE(S). THE VMS-750x, WHEN MOUNTED IN THIS BACKBOX, HAS A MINIMUM 20 mm CLEARANCE AVAILABLE FOR CABLE ROUTING.
- 3. SLIDE THE MONITOR STATION DOWN AT A SHALLOW ANGLE TO ENGAGE THE BOTTOM BRACKET TABS. A FOLD BACK TO VERTICAL AND SECURE WITH M3x8 CSK SCREW.

-	
DATE	CHANGE DESCRIPTION
2012-12-24	SHEET 5 ADDED SHOWING SURFACE MOUNTING DETAILS.
2016-05-06	'ATTACHING HANDSET TO VMS-750' HEADING REMOVED FROM SHEET 2. UPDATED DWG FRAME.

(C) Copyright Jacques Technologies Pty Ltd. All rights reserved. 268 Montague Rd., West End, 4101, Australia Ph: +61 7 3846 8400 Fax: +61 7 3844 1078

# VMS-750x VIDEO INTERCOM MONITOR STATION - GENERAL ASSY

DRAWN:	DATE:	ADAPTED FROM:	FILENAME:	
LFB	2012-07-24	N/A	VMS-750x-0	A.dwg
CHECKED:	DATE:	SCALE:	SHEET:	SIZE:
		N.T.S.	5 of 5	A2
APPROVED:	DATE:	DWG NO:		REV:
		VMS-7	2	

©2016 Jacques Technologies PTY LTD